

Satisfy Professional's Needs



Cordless Pole Hedge Trimmer

DUN500W / DUN501W 500 mm (19-3/4")
DUN600L / DUN601L 600 mm (23-5/8")



photo: DUN500W



photo: DUN600L

Lightweight and high cutting speed

photo: DUN600L






Optimum blade shape for smooth cutting DUN500W / DUN600L




Sharp edge blades:

Upper blade...curving downward
Lower blade...curving upward



Twigs are caught easily
and held firmly



DUN500W / DUN501W


Blade Length: 500 mm (19-3/4")

Shoulder harness
can be attached

Angle adjustable hedge trimmer head DUN500W / DUN501W

DUN500W / DUN501W

- 45° tilt-up to 70° tilt-down from the horizontal position.
- 6 angle settings (45°, 22.5°, 0°, -22.5°, -45°, -70°)



Can be folded in the 180° position for easy transport and storage:
Built-in clutch works to stop the blade motion even if the throttle lever is touched during folding operation.



The angle of hedge trimmer head can be changed simply by operating a lever.

2 grips

BL
MOTOR



End guard (Blade tip guard)
protects blade from unnecessary wear.

3-speed settings by pressing the button

for optimum speed control

- High: 0-4,400 SPM
- Medium: 0-3,600 SPM
- Low: 0-2,000 SPM

Main power switch



Reverse rotation system

for freeing the blade when it is jammed by thick branches.






photo: DUN600L

DUN501W

DUN500W

DUN600L / DUN601L

Blade Length: 600 mm (23-5/8")

DUN600L

S

DUN501W

Loop handle

Non-angle adjustable
hedge trimmer head

DUN601L

2,115 mm

2,050 mm

Light weight


3.9 kg

Batteries: BL1815N (1.5Ah)
Model: DUN500W / DUN501W


XPT

DUN500W / DUN600L

Sharp edge Blade




Maximum branch
diameter




23.5mm

DUN501W / DUN601L

Standard Blade



Maximum branch
diameter



21.5mm

18V + 18V → 36V



Chain Saw

DUC252 / DUC252C /
DUC256 / DUC256C / DUC302 /
DUC303 / DUC353 / DUC400 /
DUC305 / DUC355 / DUC405 /
DUC306 / DUC356 / DUC406



Pruning Shear

DUP361 / DUP362



Blower

DUB361 / DUB362 / DUB363




Lawn Mower

DLM382 / DLM432 /
DLM460 / DLM462 /
DLM530 / DLM532 /
DLM533



Grass Trimmer
DUR364L / DUR368A /
DUR368L / DUR369A /
DUR369L / DUR369N



Multi Function Power Head
DUX60



Hedge Trimmer
DUH551 /
DUH651



Recipro Saw
DJR183 /
DJR185



Hedge Trimmer
DUH483 / DUH523 /
DUH501 / DUH601 / DUH751 /
DUH502 / DUH602 / DU752 /
DUH604S / DUH754S



Chain Saw
DUC122 / DUC204 /
DUC254 / DUC254C



Blower
DUB183 /
DUB184



Grass Trimmer
DUR184L / DUR189 /
DUR190U / DUR190L /
DUR191U / DUR191L



Grass Shear
DUM604



String Trimmer
DUR181



Wheelbarrow
DCU180




Battery Powered Grass Trimmer
UR101C / UR201C /
UR202C



Pole Hedge Trimmer
DUN500W / DUN501W /
DUN600L / DUN601L



Portable Power Pack
PDC01



1.5Ah 2.0Ah
3.0Ah 4.0Ah
5.0Ah 6.0Ah


Accessories

Shear blade

Sharp edge Blade



Standard Blade



Part No.	Model	Size	Blade type
191C14-9	DUN500W	500 mm	Sharp edge Blade
191C13-1	DUN600L	600 mm	Sharp edge Blade
191E73-5	DUN501W	500 mm	Standard Blade
191F60-0	DUN601L	600 mm	Standard Blade

Grease vessel set

Part No. 197439-7

Model: available for all countries except Russia



Blade cover



Part No.	Model
458413-3	DUN500W / DUN501W
458414-1	DUN600L / DUN601L

Shoulder Harness

DUN500W / DUN501W

Part No. 125516-5



18V LITHIUM-ION	DC18RC	DC18SD
BL1815N 1.5Ah	15 min	30 min
BL1820B 2.0Ah	24 min	45 min
BL1830B 3.0Ah	22 min	60 min
BL1840B 4.0Ah	36 min	90 min
BL1850B 5.0Ah	45 min	110 min
BL1860B 6.0Ah	55 min	130 min

Cordless Pole Hedge Trimmer

DUN500W / DUN501W 500 mm (19-3/4") **DUN600L / DUN601L 600 mm (23-5/8")**

- Brake
- Reversing
- Electronic 3-Speed
- Constant Speed

	DUN500W / DUN501W	DUN600L / DUN601L
Blade Length	500 mm (19-3/4")	600 mm (23-5/8")
Max Cutting Capacity	DUN500W: 23.5 mm (15/16") DUN501W: 21.5 mm (7/8")	DUN600L: 23.5 mm (15/16") DUN601L: 21.5 mm (7/8")
Strokes Per Minute (SPM)	High / Med / Low: 4,400 / 3,600 / 2,000	High / Med / Low: 4,400 / 3,600 / 2,000
Sound Pressure Level	DUN500W: 81.5 dB(A)	DUN600L: 82.5 dB(A)
Sound Power Level	DUN500W: 92.5 dB(A)	DUN600L: 93.5 dB(A)
Vibration Level	Front / Rear: DUN500W: 4.7 m/s ² / 2.5 m/s ² or less 2,115x97x137 mm (83-1/4"x3-13/16"x5-3/8")	Front / Rear: DUN600L: 3.8 / 2.7 m/s ² 2,050x230x178 mm (80-1/2"x9"x7")
Dimensions (L x W x H)		
Net weight	DUN500W: 3.9 - 4.3 kg (8.6 - 9.5 lbs.) DUN501W: 3.9 - 4.2 kg (8.6 - 9.3 lbs.)	3.7 - 4.1 kg (8.2 - 9.0 lbs.)

Standard Equipment: Blade Cover, Shoulder Harness (DUN500W / DUN501W), Hex Wrench (DUN600L / DUN601L), Battery, Charger

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table.
Items of standard equipment and specifications may vary by country or area.



Outdoor Power Equipment Accessories

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 202001